



Veriton Z4714G (Win11) Specifications (v4-0-1)			
Category		Description	Footnotes
Operating system	1, 2	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.) Windows 11 Home 64-bit. Windows 11 Pro (Windows 10 Pro Downgrade preinstalled) UEFI Shell	
CPU and chipset	1	CPU <ul style="list-style-type: none"> 13th Generation Intel® Core™ i9 processor, Intel® UHD Graphics 770 13th Generation Intel® Core™ i7 processor, Intel® UHD Graphics 770 13th Generation Intel® Core™ i5 processor, Intel® UHD Graphics 770 / 730 13th Generation Intel® Core™ i3 processor, Intel® UHD Graphics 730 Chipset <ul style="list-style-type: none"> Intel® B660 Chipset 	
Memory	1, 3, 4	32 GB DDR4 3200 MHz soDIMM 16 GB DDR4 3200 MHz soDIMM 8 GB DDR4 3200 MHz soDIMM 4 GB DDR4 3200 MHz soDIMM Up to 64 GB of Dual-channel DDR4 3200 MHz	
Storage	1, 5	Hard disk drive 1024 GB M.2 2280 PCI-e SSD 1024 GB M.2 2280 PCI-e Gen4 SSD 1024 GB M.2 2280 PCI-e Gen4 SSD 512 GB M.2 2280 PCI-e SSD 512 GB M.2 2280 PCI-e Gen4 SSD 512 GB M.2 2280 PCI-e Gen4 SSD 256 GB M.2 2280 PCI-e SSD 256 GB M.2 2280 PCI-e Gen4 SSD 1 TB 2.5-inch 5400 RPM 500 GB 2.5-inch 5400 RPM	
Optical media drive		8X DVD-RW drive, 9.0 mm slim, tray-load, M-DISC Ready™ <ul style="list-style-type: none"> Read: CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-Video, DVD-R (4.7 GB), DVD-R double-layer, DVD-RW (Ver 1.1/1.2), DVD+R, DVD+R double-layer, DVD+RW, M-Disc/+M Write: CD-R, CD-RW, HS-RW, US-RW, US-RW+, 8 cm CD, DVD-R, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer, DVD+RW, 8 cm DVD, M-Disc/+M 	
Display		<ul style="list-style-type: none"> Touch support: N, Y Size (Inches): 23.8 Display max resolution: 1920*1080 	

Veriton Z4714G (Win11) Specifications (v4-0-1)	
	<ul style="list-style-type: none"> • Backlight: LED • Brightness (cd/m2): 250nits • Aspect ratio: 16:9 <p>* Specifications vary depending on BOM.</p>
Audio	Built-in stereo speakers
Webcam	<p>Video conferencing</p> <p>Integrated 5.0 MP+IR webcam with 2 stereo microphones</p> <p>Windows Hello 3D facial recognition ready</p> <p>Integrated wide viewing angle QHD camera and dual microphones with AI noise reduction feature.</p>
Communication	<p>WLAN</p> <p>802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth® 5</p> <p>802.11ax/ac/a/b/g/n, Wi-Fi 6 and Bluetooth® 5</p>
Input and output	<p>Front/Side I/O connectors</p> <ul style="list-style-type: none"> • Card reader: Yes • Audio jack(s): 1 • USB 3.2 Gen1 Type A port(s): 2 • USB 3.2 Gen2x2 Type C port(s): 1 <p>Rear I/O connectors</p> <ul style="list-style-type: none"> • HDMI port(s) Port 1 HDMI-in • DisplayPort (DP) ports: 1 • LAN port(s): 1 • USB 2.0 Type A port(s): 1 • USB 3.2 Gen2 Type A port(s): 2
Expansion slot(s)	<ul style="list-style-type: none"> • M.2 slot (for SSD): 2 • M.2 slot (for WLAN): 1
Commercial features	<p>TPM v2.0 (Trusted Platform Module)</p> <p>One-button recovery (OBR)</p> <p>Kensington lock slot</p> <p>100% solid capacitors</p> <p>Hard drive password protection (via BIOS)</p> <p>WOL (Wake On Lan)</p>
Dimensions	540.6 (W) x 46.5 (D) x 326.26 (H) mm (21.28 x 1.83 x 12.84 inches)
Hinge	Panel Tiltable from -5° to 25°
Power supply and adapter	<p>Adapter</p> <p>3-pin 135 W AC adapter</p>
System compliance	<p>RoHS</p> <p>DMI</p> <p>GS</p> <p>ENERGY STAR®</p> <p>PC2001</p>

Veriton Z4714G (Win11) Specifications (v4-0-1)

Certification	EPEAT GOLD BSMI CE FCC CB	
----------------------	---------------------------------------	--

1. Specifications vary depending on model.
2. 64-bit software is required to enjoy the advantages of 64-bit processing.
3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2023. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Intel Evo, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.



Appendix

v2-0-1 (Ver. 2)

Webcam

[update]

Integrated wide viewing angle QHD camera and dual microphones with AI noise reduction feature.

v3-0-1 (Ver. 3)

Storage

[update]

512 GB M.2 2280 PCI-e SSD

256 GB M.2 2280 PCI-e SSD

1 TB 2.5-inch 5400 RPM

[remove]

2 TB 2.5-inch 5400 RPM

v4-0-1 (Ver. 4)

No changes found!